

		RECEIPT NUME	BER:
		37-12/11/20	25-0990
		SCHOOL TOTOGRAPH SCHOOLSESS SECTIONS	NG HOUSE NUMBER(If applicable)
SEE INSTRUCTIONS ON DEVERSE TYPE OF PRINT OF EARLY		2014041071	,
SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY LEAD AGENCY	LEAD AGENCY EMAIL		DATE
SAN DIEGO UNIFIED PORT DISTRICT	LEAD AGENOT EMAIC		12/11/2025
COUNTY/STATE AGENCY OF FILING			DOCUMENT NUMBER
SAN DIEGO			2025-NOD-0146
PROJECT TITLE SILVERGATE TUNNEL ABANDONMENT PROJECT		a masar	
PROJECT APPLICANT NAME SAN DIEGO UNIFIED PORT DISTRICT	PROJECT APPLICANT E	EMAIL	PHONE NUMBER 619-686-8113
PROJECT APPLICANT ADDRESS 3165 PACIFIC HIGHWAY	CITY SAN DIEGO	STATE	ZIP CODE 92101
PROJECT APPLICANT (Check appropriate box) Local Public Agency School District	Other Special District	State A	gency Private Entity
CHECK APPLICABLE FEES:			
Environmental Impact Report (EIR)		\$4,123.50 \$	0.00
☐ Mitigated/Negative Declaration (MND)/(ND)		\$2,968.75 \$	0.00
Certified Regulatory Program (CRP) document - payment due	directly to CDFW	\$1,401.75 \$	0.00
☐ Exempt from fee ☐ Notice of Exemption (attach)			
CDFW No Effect Determination (attach)			
Fee previously paid (attach previously issued cash receipt cop	<u> </u>		
☐ Water Right Application or Petition Fee(State Water Resource	s Control Board only)	\$850.00 \$	0.00
County documentary handling fee		\$	50.00
☐ Other	4-	\$	0.00
PAYMENT METHOD			
☐Cash 【Credit ☐ Check 【 Other	TOTAL RECEI	VED \$	50.00
C of	YOF FILING PRINTED NAM Lego County Clerk,		AI, Deputy

Payment Reference #: order#auth 212773503/094633 / REM 11/18/2015 RECPT NO. SD2015 1057



Dec 11, 2025 10:10 AM
JORDAN Z. MARKS
SAN DIEGO COUNTY CLERK
File # 2025-001085
State Receipt # 37121120250990
Document # 2025-NOD-146

THIS SPACE FOR CLERK'S USE ONLY

Complete and attach this form to each CEQA Notice filed with the County Clerk

TYPE OR PRINT CLEARLY

Project Title

SILVERGATE TUNNEL ABANDONMENT PROJECT

	Check Document being Filed:
0	Environmental Impact Report (EIR)
0	Mitigated Negative Declaration (MND) or Negative Declaration (ND)
0	Notice of Exemption (NOE)
0	Other (Please fill in type)

FILED IN THE OFFICE OF THE SAN DIEGO
COUNTY CLERK ON December 11, 2025
Posted December 11, 2025 Removed
Returned to agency on
DEPUTY

Filing fees are due at the time a Notice of Determination/Exemption is filed with our office. For more information on filing fees and No Effect Determinations, please refer to California Code of Regulations, Title 14, section 753.5.

Docusign Envelope ID 2E023878-9292-4361-9591-4E20C693C111

	Appendix D
To:	From:
Office of Planning and Research	Public Agency. San Diego Unified Port District Address: 3165 Pacific Highway
U.S. Mail: Street Address.	Address [*] 3165 Pacific Highway San Diego, CA 92101
P.O. Box 3044 1400 Tenth St., Rm 113	
Sacramento, CA 95812-3044 Sacramento, CA 95814	Contact
	Phone.
County Clerk County of: San Diego	Lead Agency (if different from above)
Address: 1600 Pacific Highway	
San Diego, CA 92101	Address:
	Contact:
*	Phone:
SUBJECT: Filing of Notice of Determination in compile	ance with Section 21108 or 21152 of the Public
Resources Code.	
State Clearinghouse Number (if submitted to State Clearing	nahouse); 2014041071
Project Title Silvergate Tunnel Abandonment Project	
Project Applicant: San Diego Unified Port District; 3165 P	ocific Highway, San Diego, CA 92101; 619-686-8
Project Location (include county): 2205 Belt St, San Diego	, CA 92113 (San Diego County)
Project Description	
Systemus in Sen Cherri. C.A. The bidlect hivolyes being bi	amplition and abandonment of the concrete
intake and discharge structures and bulkhead walls, as will bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District.	sting. The tunnels would be backfilled in place. has approved the above
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (Lead Agency or Re	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency)
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (Lead Agency or Red and has made the	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency)
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (Lead Agency or Red described project on 12/9/25 and has made the (date)	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency)
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (Lead Agency or Red Rescribed project on 12/9/25 and has made the described project.	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project [In will In will not] have a significant effect.	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above at on the environment.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project [In will In will not] have a significant effect 2. In An Environmental Impact Report was prepared for the sulfate of	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project [In will Invit will not] have a significant effect 2. An Environmental Impact Report was prepared for this project.	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA. t pursuant to the provisions of CEQA.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District (Lead Agency or Red described project on 12/9/25 and has made the described project. 1. The project will will not have a significant effect	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above to on the environment. This project pursuant to the provisions of CEQA. The pursuant to the provisions of CEQA. The project pursuant to the project of
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District (Lead Agency or Red described project on 12/9/25 and has made the described project. 1. The project will will not have a significant effect	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above to on the environment. This project pursuant to the provisions of CEQA. The pursuant to the provisions of CEQA. The project pursuant to the project of
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project In will will not have a significant effect 2. An Environmental Impact Report was prepared for the A Negative Declaration was prepared for this project. 3. Mitigation measures (In were were not) made a core was a mitigation reporting or monitoring plan (In was were were were not) was was were were were not was was were were not was was was were were not was was was was was was was warden.	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project [In will Investment was prepared for the Rescribed project. 2. In An Environmental Impact Report was prepared for the Anegative Declaration was prepared for this project. 3. Mitigation measures [In were In were not] made a cord An mitigation reporting or monitoring plan [In was In west.] was In	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above on the environment. his project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project. Indicate the project of the project. In adopted for this project.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist. This is to advise that the San Diego Unified Port District (In Lead Agency or Red Rescribed project on 12/9/25 and has made the described project. 1. The project [In will Investment was prepared for the Rescribed project. 2. In An Environmental Impact Report was prepared for the Anegative Declaration was prepared for this project. 3. Mitigation measures [In were In were not] made a cord An mitigation reporting or monitoring plan [In was In west.] was In	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above t on the environment. his project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project. was not] adopted for this project.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District (Lead Agency or Red Red Rescribed Project on 12/9/25 and has made the described project. 1. The project [will will not] have a significant effect 2. An Environmental Impact Report was prepared for the A Negative Declaration was prepared for this project 3. Mitigation measures [were were not] made a cord A mitigation reporting or monitoring plan [was was 5. A statement of Overriding Considerations [was was 6. Findings [were were not] made pursuant to the progetive Declaration, is available to the General Public at	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above on the environment. This project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project. The provisions of CEQA. The provisions of CEQA. The project approval, or the provisions of CEQA.
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District [In Lead Agency or In Red described project on 12/9/25 and has made the described project. 1. The project [In will In will not] have a significant effect 2. In An Environmental Impact Report was prepared for the Antiquetion measures [In were In were not] made a cord A mitigation measures [In were In were not] was In west. A statement of Overriding Considerations [In was In west. A statement of Overriding Considerations [In was In were not] was In were Indicated was Indicated to the general Public at https://www.portofsandiego.org/public-records/port-updated was Interest.	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above on the environment. This project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project. Indicate the provisions of CEQA. Indicate the provisions of CEQA. Indicate the project approval, or the project approval, or the project approval of the project approval or the project
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District [Image	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) re following determinations regarding the above on the environment. Title Senior Planner
Intake and discharge structures and bulkhead walls, as we bulkheads and placement of rock revetment to match exist this is to advise that the San Diego Unified Port District [Image	rell as installation of reinforced concrete sting. The tunnels would be backfilled in place. has approved the above esponsible Agency) e following determinations regarding the above on the environment. his project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. Indition of the approval of the project as not] adopted for this project. Indicate the provisions of CEQA. Indicate the project approval, or the project approval, or the project approval. Indicate the project approval of the project approval or the projec

State of California—Natural Resources Agency CALIFORNIA DEPARTMENT OF FISH AND WILDLIFE			
2015 ENVIRONMENTAL FILING FEE CASH	RECEIPT	RECEIPT#	
		SD2015 10	57
		STATE CLEAR	NG HOUSE #(Vapplicable)
SEE INSTRUCTIONS ON REVERSE TYPE OR PRINT CLEARLY		2014041071	20 000 10
LEADAGENCY			DATE
SAN DIEGO UNIFIED PORT DISTRICT			11/18/2015
COUNTY/STATE AGENCY OF FILING			DOCUMENTNUMBER
SAN DIEGO			*20151057*
PROJECTITILE PIER ! NORTH DRYDOCK ASSOCIATED RE	EAL ESTATE AGREEMEN	TS & REMOVAL OF (COOLING TUNNELS PROJECT
PROJECTAPPLICANTNAME			PHONENUMBER
BAE SYSTEMS SAN DIEGO SHIP REPAIR			619-686-6257
PROJECTAPPLICANT ADDRESS	CITY	STATE	ZIPCODE
2205 E BELT STREET	SAN DIEGO	CA	92113
PROJECT APPLICANT (Check appropriate box):			
Local Public Agency School District	Other Special District	State Agency	Private Entity
CHECK APPLICABLE FEES: Environmental Impact Report (EIR)		99 080 76	\$\$3,069.75
Negative Declaration (ND)(MND)			\$
Application Fee Water Diversion (State Water Resources C	Control Board Only)	\$850 00	\$
Projects Subject to Certified Regulatory Programs (CRP)		\$1,043.75	\$
☑ County Administrative Fee		\$50.00	\$\$50.00
Project that is exempt from fees			
□ Notice of Exemption	150196		
	100100		
□ CDFW No Effect Determination (FormAttached)			
Other	-		\$
PAYMENT METHOD:			
☐ Cash ☐ Credit ☐ Check ☐ Other		TOTALRECEIVED	\$\$3,\$59.00
SHUBER		TILE	
X		Deputy	
			1
			1





San Diego County

Transaction #:
Receipt #:

8788285 2025478325



JORDAN Z. MARKS

Assessor/Recorder/County Clerk 1600 Pacific Highway Suite 260 P. O. Box 121750, San Diego, CA 92112-1750 Tel. (619) 237-0502 Fax (619) 557-4155 www.sdarcc.gov

Cashier Date:

12/11/2025

Cashier Location: SD

Print Date:

12/11/2025 10:10 am

Payment Summary

Total Fees:	\$100.00
Total Payments	\$100.00
Balance:	\$0.00

Payment		
VITALCHEK PAYMENT		\$100.00
Total Payments		\$100.00
Filings		
CEQA - NOD	FILE #: 2025-001085 Date: 12/11/2025 10:10AM	Pages: 3
	State Receipt # 37-12/11/2025-0990	
Fees: Fish & Wildlife County Administration	ve Fee	\$50.00
Total Fees Due:	•	\$50.00
CEQA - NOE	FILE #: 2025-001086 Date: 12/11/2025 10:10AM	Pages: 4
	State Receipt # 37-12/11/2025-0991	
Fees: Fish & Wildlife County Administrati	ve Fee	\$50.00
Total Fees Due:		\$50.00
Grand Total - All Documents:		\$100.00